



DRAWING SHOWING BASIC DIMENSIONS OF NAV-BAR
PANEL FIXINGS: USE 6 OFF M3 PLASTITE PANHEAD SCREWS
AND NYLON WASHERS. DEPTH OF HOLE IN NAV-BAR 9.0mm.
CABLES NOT SHOWN FOR CLARITY.

Revision	Date	Revision	Date	Revision	Date
1	ECN101534	01.07.2016			



Storm Interface
14 Bentinck Court
Bentinck Road
West Drayton
Middlesex
UB7 7RQ, England

tel: +44 (0) 1895 431421
fax: +44 (0) 1895 431132
email: sales@storm-interface.com
website: www.storm-interface.com

Drawing Status	Title NAV-BAR ASSEMBLY				
Development	Material				
Drawn By & Date	Finish				
RC 30.6.2016					
Checked By & Date	Scale 1:1	Tool No.		Weight	
AC 21.09.2016	Unless Stated Tolerances	0±	0.0±	0.00±	Angle Tol. ±0
Approved By & Date	© Keymat Technology Ltd. The content of this communication and/or document, including but not limited to images, specifications, designs, concepts and information is confidential and is not to be used for any purpose or disclosed to a third party without the express and written consent of Keymat Technology Ltd., Copyright 2016. All rights reserved.			Part No.	Issue
JS 22.09.2016				EZB6-43000	1