

AudioNav™

Cutting edge assistive technology device
for an inclusive self-service experience



storm
Interface



The standard of self-service accessibility, tried and tested globally for over a decade.

Our AudioNav combines tactile illuminated keys, rich audio guidance and flexible connectivity to help more people complete self-service journeys independently. It is designed to transform on-screen content in exposed and high-traffic environments, delivering robust access to information, products and services on self-service kiosks.

Need help with your accessibility journey?
Contact us to speak with an accessibility expert.



RNIB



Tried and Tested

Key Benefits:

- Proven and field-tested accessible design
- Externally mounted version available for easy retrofitting
- Seamless integration meeting international standards
- Illuminated green or white keys for visually impaired users
- High personalisation with fully configurable buttons
- Speech rate adjustment and volume adjustment
- Plug & Play installation, all OS supported
- Optional Bluetooth
- Versatile installation (horizontal / vertical / under panel or external)
- Available in 6 or 9 key extended functionality version

Technical Features:

- Audio output, 3.5mm audio jack socket
- IP-65 / IP-54 weather resistant (model dependent)
- Impact resistant 5J rating (EN62262)
- ADA, EAA and international accessibility laws compliant
- Operating temp. -20°C to +70°C
- 5V DC $\pm 0.25V$, 100mA
- Mini USB B socket (cable not included)





These products are licensed under NCR's design rights, including NCR U.S. Design Patent D687,783 and European Design Registration 001887290.

Storm®, Storm Interface®, AudioNav® and related product names are trademarks of Keymat Technology Ltd. Certain technologies within Storm Interface products are protected by international patents and design registrations. © Keymat Technology Ltd. 2025. All rights reserved.

Storm Interface and Keymat Technology Ltd are part of discoverIE Group Plc

storm-interface.com
info@storm-interface.com